

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:AMM-3-117

Outcomes of Extra-Octave Fractures in children

Published On: August 23, 2019 | Pages: 011 - 013

Author(s): Colton Ryan* and William Hennrikus

Background: There are limited studies differentiating between the two main treatment options for Extra-Octave fractures. The purpose of the present study is to report the outcomes when treating the Extra-Octave fracture in children. ...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/amm.000017](#)

Observational Study

[Open Access](#) [Observational Study](#) PTZAID:AMM-3-116

Functional outcomes and rehabilitation efficiency in patients with restricted weight-bearing

Published On: July 13, 2019 | Pages: 006 - 010

Author(s): Meredith Ogilvie-Brown* and Tik Chan

Orthopaedic injuries can require a period of restricted weight-bearing which can increase inpatient hospital admissions and place the patient at risk of the complications of immobility. This study aimed to identify the functional outcomes and rehabilitation efficiency for patients admitted to rehabilitation with restricted weight bearing. ...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/amm.000016](#)

Case Study

[Open Access](#) [Case Study](#) PTZAID:AMM-3-118

Expanding the phenotype of spastic paraplegia 26: Report of 4 cases with hearing dysfunction

Published On: December 18, 2019 | Pages: 014 - 017

Author(s): Carolina Lopes*, Fernando Silveira, Goreti Nadais and Miguel Leão

Background: Spastic Paraplegia 26 (SPG26) is a complex type of spastic paraplegia caused by B4GALNT1 gene pathogenic variants, and is characterized by childhood/adolescence onset of progressive spastic paraplegia associated with mild to moderate cognitive impairment and developmental delay, dysarthria, cerebellar ataxia, and peripheral neuropathy. ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/amm.000018](#)