2020 | Volume Volume - 5 - Issue Issue - 1

In this issue

Research Article

Open Access Research Article PTZAID:AHR-5-122

Occult Hepatitis B Virus infection in a cohort of patients with chronic Hepatitis C

Published On: July 26, 2019 | Pages: 017 - 021

Author(s): MI Naga, MA Amin*, DA Algendy, AI El Badry, MM Fawzi, AR Foda, SM Esmat, SM Gabal, D Sabry, M Kamal, LA Rashed

Introduction: The prevalence of occult hepatitis B, defi ned by absence of HBsAg and HBV DNA, ranges widely in patients with hepatitis C. This may infl uence the treatment of hepatitis C and the severity of liver disease ...

Abstract View Full Article View DOI: 10.17352/ahr.000022

Open Access Research Article PTZAID:AHR-5-121

Experience with Hepatitis B Viral load Testing in Jharkhand

Published On: April 29, 2019 | Pages: 009 - 016

Author(s): Sana Irfan*, Mahua Das Gupta, NP Sahu, Zulfiquar Ali Bhuttoo and Poonam Kumari

Background: Quantification of the viral burden is an important laboratory tool in the management of hepatitis B virus (HBV)-infected patients. However, widespread use of assays is still hampered by the high cost. Treatment reduces viral load to undetectable levels. HBV infected patients tend to have high HBV DNA levels, and severe liver disease. Objectives: This stu ...

Abstract View Full Article View DOI: 10.17352/ahr.000021

Review Article

Open Access Review Article PTZAID:AHR-5-123

Occurrence, diagnosis and management of hepatic fibrosis and cirrhosis: An updated literature review

Published On: November 27, 2019 | Pages: 022 - 026

Author(s): Jing Qiao*

Background: Hepatic fibrosis and cirrhosis, characterized with signifi cant morbidity and mortality, have always been worldwide health care problems. ...

Abstract View Full Article View DOI: 10.17352/ahr.000023

Case Report

Open Access Case Report PTZAID:AHR-5-124

A rare case of hepatic sub capsular biloma after cholecystectomy treated by percutaneous drainage and endoscopic biliary stenting: A case report

Published On: December 07, 2019 | Pages: 027 - 029

Author(s): Naureen Sameera*, Ishaq Aliya, Itu Lizica, Al Awa Arfan, Ghazi Esaaf, Zaid Abdul Aziz, Siddhart Sankar Das, Feras Al Khitab and Syed Javed

Bilomas are localized collections of bile which usually happen post-operatively from an injured cystic or bile duct and most of the biloma collections are in the sub hepatic space. ...

Abstract View Full Article View DOI: 10.17352/ahr.000024