

Research Article

[Open Access](#) [Research Article](#) PTZAID:AOR-3-164

## Aggressive Thyroid Gland Carcinoma: A Case Series

Published On: December 29, 2017 | Pages: 129 - 137

Author(s): James P Dworkin-Valenti\*, Esmael H Amjad, Noah Stern and Samba SR Bathula

In 2017 there were approximately 62000 new cases of thyroid cancer (TC) in the United States, with a death toll of less than 5%. This relatively low mortality rate is based on a grouping of all TC subtypes, which masks the small minority of patients with biologically aggressive tumors who have dismal prognoses for survival. ...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/2455-1759.000064](#)

[Open Access](#) [Research Article](#) PTZAID:AOR-3-163

## A Questionnaire Survey: Knowledge in Upper Airway Infections among General Practitioners in Malaysia

Published On: December 26, 2017 | Pages: 126 - 128

Author(s): Boon Han Kevin Ng\*, Ing Ping Tang, Elizabeth Yenn Lynn Lim, Abu Bakar Zulkifl ee and Prepageran Narayanan

Background: Upper respiratory tract infections (URTI) cases are one of the most frequently seen cases in the primary care setting. The causative agents are either bacteria or virus. It is not easy to differentiate among them. In term of treatment for both conditions, certain principles of treatment are advised to be followed. ...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/2455-1759.000063](#)

[Open Access](#) [Research Article](#) PTZAID:AOR-3-162

## Effects of a plant based Biodegradable Middle Meatal Dressing after Endoscopic Sinus Surgery: A Prospective Comparative Study

Published On: November 14, 2017 | Pages: 121 - 125

Author(s): Michael Schlewet\* and Peter Catalano#

Background: The benefit from biodegradable middle meatal dressings is well established, and includes improved wound healing, stabilization of the middle turbinate, reduced granulation tissue, and improved patient comfort. This study compares the outcomes of a 100% plant-based nasal dressing to a popular fully synthetic dressing in patients undergoing endoscopic si ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-1759.000062

[Open Access](#) | [Research Article](#) | PTZAID:AOR-3-161

## The Effectiveness of Rehabilitation Programs of Learning Disabilities on Children with Attention Deficit Hyperactivity Disorder

Published On: November 02, 2017 | Pages: 115 - 120

Author(s): Mohamed Ali Saad Baraka, Eman Roshdy El-Safy Dalia, Sherif Kamel Bahaa El-Dine and Maha Mahmoud Rabie\*

Objective: The aim of this work is to evaluate the role of rehabilitation programs of learning disabilities on children with attention deficit hyperactivity disorder (ADHD) children, and compare the effect of pharmacological treatment, rehabilitation program of learning disabilities, and both together on children with attention deficit hyperactivity disorder (ADH ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-1759.000061

[Open Access](#) | [Research Article](#) | PTZAID:AOR-3-160

## Extent of surgery in chronic rhinosinusitis: primarily focused on nasal polyposis

Published On: October 14, 2017 | Pages: 109 - 114

Author(s): Petr Schalek\*, Lukáš Otruba and Anasuya Guha

Background: The prevalence of chronic rhinosinusitis with nasal polyps (CRSwNP) is estimated at around 4% in general population. The population-based studies using rhinoendoscopy have demonstrated the prevalence of nasal polyposis, with values ranging from 0.5 to 2.7%. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-1759.000060