

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:JDPS-4-143

Mandibular Third Molars in Southern Bulgaria – A Clinical and Radiological Study of 1518 Patients

Published On: March 23, 2017 | Pages: 026 - 030

Author(s): Petia F Pechalova*, Nikolai V Pavlov and Desislava A Konstantinova

The normal eruption time of third molar is after 16 years of age. The impaction rate is higher for third molars when compared with other teeth. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2394-8418.000043

[Open Access](#) [Research Article](#) PTZAID:JDPS-4-141

Sharps Safety and Management among Dental Practitioners

Published On: March 15, 2017 | Pages: 015 - 018

Author(s): Shuchi Tripathi*, Raghuwar Dayal Singh, Rameshwari Singhal, Richa Khanna, Deeksha Arya and Swapnil Parlani

Background: The potential for transmission of blood borne infections is highest during handling of needles and sharps. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2394-8418.000041

Review Article

[Open Access](#) [Review Article](#) PTZAID:JDPS-4-144

Titanium Allergy: Is Zirconia a Viable Alternative?

Published On: April 12, 2017 | Pages: 031 - 035

Author(s): Ana Sofia de Sousa Moreira*, Ana Patrícia Silva Magalhães, Bruno Miguel Santos Carvalho, Juliana Cardoso Costa Santos, Ana Isabel Pereira Portela and Mário Ramalho de Vasconcelos

Purpose: Highlight and discuss the properties of zirconia compared to titanium, in the case of titanium allergies. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2394-8418.000044

[Open Access](#) | [Review Article](#) | PTZAID:JDPS-4-142

Etiology of Various Dental Developmental Anomalies -Review of Literature

Published On: March 22, 2017 | Pages: 019 - 025

Author(s): Monika Rohilla*

The development of the tooth involves many complex biological processes, including epithelial- mesenchymal interactions, differentiation, morphogenesis, fi brillogenesis and mineralization. After 37 days of development, a continuous band of thickened epithelium forms around the mouth in presumptive upper and lower jaws from the fusion of separate plates of thickened e ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2394-8418.000042

Case Report

[Open Access](#) | [Case Report](#) | PTZAID:JDPS-4-146

Successful Rehabilitation of Anterior Crowns with Richmond Crown: Case Series

Published On: June 20, 2017 | Pages: 040 - 043

Author(s): Sachin Metkari* and Manisha Metkari

Restoration of severely fractured/ decayed teeth requires crown restoration after endodontic therapy which is often major requisite in conservative dentistry. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2394-8418.000046

[Open Access](#) | [Case Report](#) | PTZAID:JDPS-4-145

Immediate Implant with simultaneous Ridge Augmentation

Published On: June 16, 2017 | Pages: 036 - 039

Author(s): Saurabh Chaturvedi*, Mohammed A Alfarsi, Mudita Chaturvedi, Kaushik Pandey and Sunil Kumar Vaddamanu

The Ultimate goal of prosthetic replacement following teeth loss, is to provide a functional restoration that is harmonious with the remaining natural dentition. To achieve this goal hard and soft tissues should be properly healed with good

quality and adequate volume. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2394-8418.000045